

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S2	0	"5901286".pn. and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S3	2	"5901286".pn. and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:10
S4	1	"5901286".pn. and ((memory or stor\$3 or buffer\$3 or queu\$3 or cach\$3)with (request\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:11
S5	1	"5901286".pn. and (memory or stor\$3 or buffer\$3 or queu\$3 or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:12
S6	1	("5901286".pn. and (memory or stor\$3 or buffer\$3 or queu\$3 or cach\$3)) and (request\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S7	0	"5901286".pn. and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S8	1	"5901286".pn. and script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:27
S9	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30

S10	1	"5901286".pn. and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30
S11	0	"5901286".pn. and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:31
S12	28	"5901286".URPN.	USPAT	OR	OFF	2004/03/31 11:31
S13	24	"5901286".URPN. and (object\$1 or attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:33
S14	6	("5901286".URPN. and (object\$1 or attribute\$1)) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S15	0	"5901286".pn. and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S16	0	soap and "5901286".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S17	65157	soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S18	99	soap and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S19	3	(soap and 719/3\$\$ccls.) and 709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S20	4	"5826040".pn. or "5453933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:37

S21	3	("5826040".pn. or "5453933".pn.) and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:52
S22	1044	tool adj manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S23	4022	719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S24	17	(tool adj manag\$6) and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S25	288	(http adj request\$1) and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S26	4955	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S27	33	709/223-224.ccls. and ((http adj request\$1) and soap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:54
S28	1	connection\$1 and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:55
S29	155810	child and parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56
S30	425	child same parent same object\$1 same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56

S31	25	(child same parent same object\$1 same attribute\$1) and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:21
S32	1	"5881237".pn. and (fault\$1 or malfunction\$1 or error\$1 or misconfigur\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:26
S33	2961	714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:27
S34	2796	unable near5 (communicate or transmit or forward)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S35	29	(unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S36	20	((unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29
S37	16296	diagnostic near2 (unit or device or terminal or machine or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S38	173	(diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29
S39	1	((diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and (unable near5 (communicate or transmit or forward))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:33

S40	27	("5042027" "5247517" "5315580" "5371883" "5459837" "5586121" "5627766" "5627886" "5640505" "5646864" "5666481" "5696701" "5732218" "5781703" "5787253" "5854889" "5862346" "5870557" "5870559" "5881237" "5884244" "5964891" "6031528" "6230287" "6298457" "6304982" "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:30
S41	15	"5964891".URPN.	USPAT	OR	OFF	2004/03/31 13:31
S42	339	communicat\$4 near4 disable near4 (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:34
S43	8	able with communicat\$4 with disable with (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:43
S44	23	("4589068" "5179695" "5355498" "5394544" "5434998" "5473599" "5537653" "5608867" "5630049" "5701488" "5809248" "5812748" "5815653" "5832503" "5870540" "5870601" "5958049" "5964891" "5974562" "5978936" "6000041" "6199033" "6453426").PN.	USPAT	OR	OFF	2004/03/31 13:36
S45	3926	communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:13
S46	35	(communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:45
S47	24	((communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S48	0	vaughn.xp. and diagnos\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:48

S49	27	("5042027" "5247517" "5315580" "5371883" "5459837" "5586121" "5627766" "5627886" "5640505" "5646864" "5666481" "5696701" "5732218" "5781703" "5787253" "5854889" "5862346" "5870557" "5870559" "5881237" "5884244" "5964891" "6031528" "6230287" "6298457" "6304982" "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:59
S50	79	"5870559".URPN.	USPAT	OR	OFF	2004/03/31 14:10
S51	1	(diagnostic near2 (unit or device or terminal or machine or server)) and "5870559".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S52	43192	"714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S53	29269	diagnostic near2 (unit or device or terminal or machine or server or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S54	570	(diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S55	965	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S56	42	714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S57	21	(714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S58	1243	communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14

S59	47	(communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S60	18	((communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:17
S61	16	(communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S62	23	("4589068" "5179695" "5355498" "5394544" "5434998" "5473599" "5537653" "5608867" "5630049" "5701488" "5809248" "5812748" "5815653" "5832503" "5870540" "5870601" "5958049" "5964891" "5974562" "5978936" "6000041" "6199033" "6453426").PN.	USPAT	OR	OFF	2004/03/31 14:18
S63	946	tool and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S64	6157	(http adj request\$1)(child same parent\$1) and tool\$1 and object\$1 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31
S65	151	(http adj request\$1)and(child same parent\$1) and tool\$1 and object\$1 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31
S66	15	((http adj request\$1)and(child same parent\$1) and tool\$1 and object\$1 and attribute\$1) and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:41
S67	192	tool adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:43

S68	57	(tool adj server) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S69	18	((tool adj server) and @ad<"20000201") and http and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:45
S70	6	(http adj request\$1) same (tool\$1 adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:47
S71	24	(http adj request\$1) and (tool\$1 adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:48
S72	291	definition\$1 same (object near3 (librar\$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50
S73	1	(definition\$1 same (object near3 (librar\$3 or dictionary))) and (http adj request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:49
S74	135	(http adj request\$1) and (object near3 (librar\$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50
S75	72	((http adj request\$1) and (object near3 (librar\$3 or dictionary))) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S76	210	tool adj (dictionary or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S77	7	(tool adj (dictionary or library)) and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:01

S78	51	reed.inv. and object\$1 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:02
S79	17	(reed.inv. and object\$1 and authenticat\$4) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:03
S80	1	"5862325".pn. and (http near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S81	12181	cach\$3 near5 (request\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S82	0	(cach\$3 near5 (request\$1 or message\$1)) and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S83	0	"5901286".pn. and cookie\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06
S84	1	"6332163".pn. and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06
S85	1	"6332163".pn. and (cach\$3 with (request\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:15
S86	1	("6332163".pn. and (cach\$3 with (request\$1 or message\$1))) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:22
S87	2	helm.inv. and fortin.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23

S88	0	(helm.inv. and fortin.inv.) and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23
S89	0	(helm.inv. and fortin.inv.) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:25
S90	0	(helm.inv. and fortin.inv.) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:39
S91	5398	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S92	2430	719/31\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S93	4	358/1.15.ccls. and 719/31\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:45
S94	88969	(request\$1 or establish\$3) near3 (connection or session\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S95	2	("5901286".pn. and request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S96	90806	(request\$3 or establish\$3) near3 (connection or session\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S97	1910	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51

S98	77	709/227.ccls. and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S99	51	((709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S10 0	14	((709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))) and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S10 1	16	((709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))) and (object adj orient\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 2	468	709/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 3	8	709/208.ccls. and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 4	73335	(wireless or cellular or mobile) same (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S10 5	4547	(check\$3 or monitor\$3) near5 availability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S10 6	54	((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S10 7	30	((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51

S10 8	95753	establish\$4 near4 (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:39
S10 9	110670	(establish\$4 or request\$3) near4 (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:40
S11 0	21	((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) and (((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44
S11 1	1150	((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 2	0	(((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache)) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) and (((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:41
S11 3	4336	(database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44
S11 4	47	((database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:45
S11 5	4	(((database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache))) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 6	249	discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47

S11 7	145	((discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((establish\$4 or request\$3) near4 (session\$1 or connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 8	8	((discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((establish\$4 or request\$3) near4 (session\$1 or connection\$1))) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 9	110670	((establish\$4 or request\$3) near4 (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S12 0	75	((establish\$4 or request\$3) near4 (session\$1 or connection\$1))) and discovery and ((wireless or cellular or mobile) same (session\$1 or connection\$1)) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51
S12 1	37	((establish\$4 or request\$3) near4 (session\$1 or connection\$1))) and discovery and ((wireless or cellular or mobile) same (session\$1 or connection\$1)) and ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:53
S12 2	8840	synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55
S12 3	1499	(synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3)) and ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55
S12 4	31	((synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3)) and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((check\$3 or monitor\$3) near5 availability) and discovery and ((establish\$4 or request\$3) near4 (session\$1 or connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:59
S12 5	12023	"455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00

S12 6	311	("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:01
S12 7	5	((("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and discovery) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00
S12 8	12	((("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and discovery) and (synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S12 9	295	(synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3)) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 0	19620	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 1	75536	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 2	78	"455"/\$.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:04
S13 3	6	("455"/\$.ccls. and "707"/\$.ccls.) and (synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:57
S13 4	2	"6574668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:58
S13 5	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 16:48

S13 6	2	("20030099402").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:44
S13 7	2	("6415323").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:45
S13 8	2	("6611872").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:46
S13 9	2	("6667700").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:46
S14 0	0	(tool adj object\$1) same (webpage\$1 or (web adj page\$1) or (web adj document\$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:30
S14 1	42	(tool adj object\$1) and (webpage\$1 or (web adj page\$1) or (web adj document\$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:32
S14 2	6112	control\$4 near3 (access or action\$1) near4 (interface or tool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:33
S14 3	21	helm.inv. and andrew	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:36
S14 4	12	"5592600".URPN.	USPAT	OR	OFF	2004/04/13 14:34
S14 5	11117	telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:36

S14 6	2	telefonaktiebolaget.asn. and helm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 7	0	(telefonaktiebolaget.asn. and helm) and request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 8	0	(telefonaktiebolaget.asn. and helm) and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 9	1	telefonaktiebolaget.asn. and fortin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 0	1	telefonaktiebolaget.asn. and boucher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 1	352	telefonaktiebolaget.asn. and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 2	78	(telefonaktiebolaget.asn. and tool\$1) and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:39
S15 3	4256	tool near2 manag\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:40
S15 4	10	(tool near2 manag\$8) and telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:45
S15 5	102	ellis.inv. and raymond	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46

S15 6	77	(ellis.inv. and raymond) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S15 7	12	("4672185" "4888473" "4930086" "5097421" "5237322" "5387993" "5389769" "5412644" "5536128" "5701330" "5742238" "5867389"). PN.	USPAT	OR	OFF	2004/04/13 14:50
S15 8	1	"6418352".URPN.	USPAT	OR	OFF	2004/04/13 14:49
S15 9	16	"5742238".URPN.	USPAT	OR	OFF	2004/04/13 14:50
S16 0	0	domain adj logic adj corp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 1	236	domain adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 2	6	S161 and ellis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 3	364	asyst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 4	0	S163 and ellis.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12
S16 5	0	S161 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:32
S16 6	6	"6470227".pn. or "6463352".pn. or "6658571".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36

S16 7	1	S166 and (webpage\$1 or html or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:05
S16 8	7	"6349341".pn. or "5291416".pn. or "6708223".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S16 9	25	"5291416".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S17 0	6	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:38
S17 1	9	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1 or gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:47
S17 2	2	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1 or gui) and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00
S17 3	1	S172 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 4	2	S166 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 5	1	S172 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00
S17 6	0	S168 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:08

S17 7	1	"6470227".pn. and (internet or wan or internet or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:09
S17 8	1	S177 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:13
S17 9	1	S177 and type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 0	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 1	1	S180 and type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:21
S18 2	1	S181 and edit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:22
S18 3	1	S181 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:23
S18 4	0	S177 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 5	1	S177 and respon\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 6	1	S177 and respon\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27

S18 7	1	S186 and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:26
S18 8	0	S186 and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27
S18 9	1	S186 and address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04
S19 0	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04
S19 1	1	S190 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 2	1	S190 and (webpage\$1 or html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:54
S19 3	1	S190 and ((webpage\$1 or html\$1 or http\$1 or (web adj page\$1) or url\$1) same (modif\$10 or alter\$3 or chang\$3 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 4	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 5	1	S191 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
S19 6	1	S195 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07

S19 7	1	S194 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:10
S19 8	2	(S190 or S194) and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S19 9	78	http near5 dir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S20 0	136	http and definitions and (child adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
S20 1	2	(S190 or S194) and script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:16
S20 2	1	S190 and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:19
S20 3	1	S190 and (port\$1 or socket\$1 or path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:51
S20 4	1	S190 and (port\$1 or socket\$1 or path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:52
S20 5	6	"6470227".UREF. OR "6463352".UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:53
S20 6	3	S205 and (webpage\$1 or HYPERTEXT OR html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:57

S20 7	31	("4590550" "4967381" "5196997" "5586041" "5646870" "5654903" "5715181" "5719495" "5761064" "5790977" "5841676" "5883437" "5930138" "5964643" "5978071" "5991699" "5995912" "6027842" "6055463" "6163801" "6240329" "6303395" "6370448" "6370487" "6424876" "6445969" "6470227" "6487472" "6499007" "6528219" "6532427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:55
S20 8	5	("6115646" "6256676" "6389588" "6442748" "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56
S20 9	13	("4141069" "4725970" "5307260" "5357439" "5493501" "5691906" "5694325" "5850345" "5873251" "5974246" "6021359" "6434440" "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56
S21 0	3	("6408218" "6463352" "6564154"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:57
S21 1	9	(S207 OR S208 OR S209 OR S210) and (webpage\$1 or HYPERTEXT OR html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:58
S21 2	6	S211 AND (DEFINITION\$1 OR LIBRARY OR ATTRIBUTE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:00
S21 3	2	"6658571".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:01
S21 4	10	("20010037450" "5457798" "5504814" "5764889" "6047323" "6131165" "6243692" "6247127" "6289458" "6321337").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 19:01
S21 5	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:00
S21 6	1	S215 and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:08

S21 7	1	S215 and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:09
S21 8	1	S215 and (html or webpage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:11
S21 9	1	S215 and (connection\$1 or session\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:15
S22 0	2	S215 and stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:16
S22 1	0	S215 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:16
S22 2	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:17
S22 3	1	S222 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 23:17
S22 4	5098	(allocat\$4 or creat\$4 or generat\$4) near4 socket\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:06
S22 5	1715	(first adj protocol) with (second adj protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:07
S22 6	0	S224 same S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:07

S22 7	29	S224 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S22 8	9764	releas\$3 with socket\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S22 9	0	S228 same S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:08
S23 0	1	S228 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:23
S23 1	4	"6470227".pn. or "6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:24
S23 2	3	S231 and (interface or gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:26
S23 3	1	S232 and browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:40
S23 4	2	S232 and (internet or web or html or url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:40
S23 5	2	S232 and (http or internet or web or html or url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:41
S23 6	2	S231 and (http or internet or web or html or url or browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:41

S23 7	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:18
S23 8	0	S237 and (redirect\$4 or intermedia\$6 or prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:17
S23 9	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:19
S24 0	0	S239 and (redirect\$4 or intermedia\$6 or prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:17
S24 1	8	"6470227".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:18
S24 2	16	"6470227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S24 3	11	"6463352"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S24 4	5	(S242 or S243) and (prox\$3 or intermedia\$3 or redirect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:22
S24 5	35	("20020065895" "20020138168" "20030002634" "20030109951" "4590550" "4967381" "5196997" "5586041" "5646870" "5654903" "5715181" "5761064" "5790977" "5841676" "5862054" "5930138" "5964643" "5978071" "5991699" "5995912" "6027842" "6055463" "6163801" "6240329" "6303395" "6370448" "6370487" "6424876" "6445969" "6470227" "6487472" "6499007" "6528219" "6532427" "6539271").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:20

S24 6	13	("4141069" "4725970" "5307260" "5357439" "5493501" "5691906" "5694325" "5850345" "5873251" "5974246" "6021359" "6434440" "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 7	26	("4607256" "4796194" "4807108" "5014207" "5325287" "5469361" "5485620" "5499188" "5546301" "5576946" "5591299" "5751580" "5777876" "5841660" "5867382" "5875108" "5903455" "6122556" "6148239" "6415192" "6415193" "6424878" "6438441" "6442446" "6453210" "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 8	5	("6115646" "6256676" "6389588" "6442748" "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:21
S24 9	68	(S245 or S246 or S247 or S248) and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:22
S25 0	68	S249 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 12:28
S25 1	18	S249 and (prox\$3 or intermedia\$3 or redirect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:28
S25 2	296	tool adj server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 12:28
S25 3	38	S252 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 4	170140	remote\$3 near5 (manag\$8 or supervis\$4 or control\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 5	231	tool adj server\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 6	60	S254 and S255	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38
S25 7	2	S256 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S25 8	1072	workflow and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:38

S25 9	20220	cutting adj machine\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 0	393	S259 and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 1	16	browser\$1 and S260	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 2	0	S261 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 3	1191	tool adj manag\$8	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 4	239	S263 and S254	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:39
S26 5	82	S264 and @ad<"20000201"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:40
S26 6	10	S259 and S263	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:40
S26 7	16	"6470227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S26 8	11	"6463352"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:41
S26 9	6	(S267 or S268) and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:49
S27 0	17	"6634008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:44
S27 1	12	S270 and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:44

S27 2	16	(S267 or S268) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 3	411	asyst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 4	61	S273 and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:52
S27 5	9	S273 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 16:21
S27 6	2	"6886037".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 16:21